HIGH PRESSURE TELESCOPIC HOISTS



www.duraclass.com







Frameless Head-Mount Design

HPT Benefits:

- Maximized Payload with a lighter weight design
- · Increased capacity as a result of high-pressure hydraulics.
- Low maintenance design with U-cup cylinder seals that never need adjustment
- **Premium** rear hinge design with wide pedestal style, lubricated hinges and solid pins.
- Better stability with low center of gravity and strong pin design
- · Increased productivity with faster cycling, both raising and lowering of body.
- · Improved longevity with hard chrome plated hoist sleeves

Standard Features

- Two body props
- Fully welded construction



DuraClass 336 Protection...

Rely on our promise to you, 36 months warranty on the 3 most important components of your HPT hydraulic system- the pump, valve and cylinder- if our materials or workmanship fail.

HOIST MODEL	NTEA CLASS	WEIGHT** (LBS)	CAPACITY* (TONS)																		
Body Length			10'	10' 11'		12'		13'		14'		15'		16'		17'		18'		19'	
Overhang			12"	6"	12"	6"	12"	6"	12"	12"	18"	12"	18"	12"	18"	12"	18"	12"	18"	12"	18"
HPT53-90	70	670	29.3	23.1	25.5																
HPT53-110	70	725				23.9	26.7														
HPT53-120	80	745						23.3	25.6	23.7	26										
HPT53-130	80	750										23.4	25.3								
HPT63-120	110	985						38.4	42.3	39.1	42.9										
HPT63-130	110	995										38	41.2								
HPT63-140	120	1020												38.1	41.1	36.5	38.8				
HPT63-150	120	1040														38	40.6	36	38.2		
HPT63-160	120	1060																37	39.4	35.7	37.7


^{*}Capacity is based on water-level load and approximately 50° dump angle.

Inverted telescopic hoists also available.



P.O. Box 49 1425 Highway 25 North Tishomingo, MS 38873 800.255.4345 Fax: 800.728.4345 www.duraclass.com

CONTACT YOUR DISTRIBUTOR



^{**}Weight is less oil and PTO